# **SECTION 1- PRODUCT IDENTIFICATION**

**PRODUCT NAME** : CLEARWATER RINSE

**SYNONYMS** Product is a mixture: No synonyms are available.

PRODUCT USE Moderately Acidic Material **SUPPLIER** : HYDRAMASTER CORP.

SUPPLIER'S ADDRESS 11015 47TH AVE W, MUKILTEO, WA 98275

(425) 776-7272

**EMERGENCY RESPONSE PHONE** 

**NUMBER** 

: PERS: 1-800-633-8253

## **SECTION 2 – HAZARD IDENTIFICATION**

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS U.S. – CLASSIFICATION** : H302 Harmful if swallowed.

Causes skin irritation H315 H319 Causes serious eye irritation

**LABEL ELEMENTS GHS – US HAZARD PICTOGRAMS** The product is classified and labeled according

to the Globally Harmonized System (GHS).

**HAZARD PICTOGRAMS** 

**SIGNAL WORD** WARNING

**HAZARD STATEMENTS** Not established

P101

P102

(GHS-US)

H302 Harmful if swallowed. H315 Causes skin irritation.

Causes serious eye irritation. H319

PRECAUTIONARY STATEMENTS :

(GHS-US)

Keep out of reach of children.

P103 Read label before use.

: P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin and contaminated clothing thoroughly after handling.

Do not eat, drink or smoke when using this product. : P270 : P280 Wear suitable protective gloves/protective clothing/eye

protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

If medical advice is needed, have product container or label at hand.

P302+P352 : IF ON SKIN: Wash with plenty of soap and water.

: P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local /regional /

national / international regulations.

**CLASSIFICATION SYSTEM** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) Health = 2, Fire = 0, Reactivity = 0

**HMIS RATINGS (SCALE 0-5)** : Health = 2, Fire = 0, Reactivity = 0

## SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

**CHEMICAL CHARACTERISTIC** 

Mixtures

DESCRIPTION

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS	
Hydroxyacetic acid	1-5	79-14-1	201-180-5	Skin Irrit Cat 1B, Eye Dam Cat 1, Acute Tox Aquatic Cat3, Acute Tox Inhal & Oral Cat 4	
Methyl-oxirane polymer with oxirane	1-5	9003-11-6	Not Found	No need for classification according to GHS criteria for this product.	
Sodium Dodecylbenzene Sulfonate	1-5	25155-30-0	246-680-4	Skin Irrit Cat 4, Eye Dam Cat 2 Acute Tox Cat 4, STOT SE Cat 3	
Sodium Octane Sulfonate	1-5	5324-84-5	226-195-4	Skin Irrit Cat 2, Eye Irrit Cat 2A STOT SE Cat 3	

Cat = Category, Corr = Corrosion, Irrit = Irritant, Dam = Damage, Tox = Toxicity, Inhal = Inhalation, STOT RE = Specific Target Organ Toxicity Repeated Exposure. Also contains <1% non-hazardous fragrance, surfactant and acrylic polymer(s).

#### **SECTION 4 – FIRST AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES**

**GENERAL** 

: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

**EYE CONTACT** 

Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so.

Continue rinsing. Immediate call a POISON CENTER or doctor/physician.

**SKIN CONTACT** 

Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. If

irritation persists, get immediate medical attention.

SWALLOWING (INGESTION)

: If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate

medical attention.

INHALATION

Remove to fresh air. If symptoms persist, get immediate medical attention.

**OTHER INSTRUCTIONS** 

Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

## **SECTION 5 – FIRE FIGHTING MEASURES**

**EXTINGUISHING MEDIA** 

: Water spray, fog, carbon dioxide, foam, dry chemical

**EXPLOSION HAZARDS** 

: Product is not explosive.

**REACTIVITY (FIRE)** 

: Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release explosive hydrogen gas. When heated to decomposition, emits toxic fumes. May be corrosive to metals.

SPECIAL INSTRUCTIONS TO FIRE FIGHTERS

PRECAUTIONARY MEASURES

Exercise caution when fighting any chemical fire.

FIREFIGHTING INSTRUCTIONS

Use water spray or fog for cooling exposed containers.

**PROTECTION DURING** 

Do not enter fire area without proper protective equipment, including respiratory

**FIREFIGHTING** 

protection.

**HAZARDOUS COMBUSTION** 

: Potassium oxides. May liberate toxic gases. Sodium oxides. Phosphorous oxides.

**PRODUCTS** Nitrogen oxides. Carbon oxides (CO, CO<sub>2</sub>). Explosive Hydrogen gas. OTHER INFORMATION (FIRE) : Do not allow run-off from fire fighting to enter drains or water courses.

#### SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, **PROTECTIVE EQUIPMENT &**  Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

**EMERGENCY PROCEDURES ENVIRONMENTAL PROCEDURES METHODS AND MATERIALS** FOR CONTAINMENT AND **CLEAN-UP** 

Keep spilled material away from sewage/drainage systems and waterways.

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

## **SECTION 7 – HANDLING AND STORAGE**

**PRECAUTIONS FOR SAFE HANDLING** 

: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

**CONDITIONS FOR SAFE STORAGE** 

Store in a dry, cool and well ventilated place. Keep container closed when not in use. Keep/store away from extremely high or low temperatures, direct sunlight, heat and incompatible materials (Strong acid, Strong oxidizers).





# **SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

**TLV (THRESHOLD LIMIT VALUE)** 

The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	USA OSHA PEL – TWA	USA ACGIH TWA	USA ACGIH – STEL
Hydroxyacetic acid	Not Established	Not Established	Not Established
Methyl-oxirane polymer with oxirane	Not Established	Not Established	Not Established
Sodium Dodecylbenzene Sulfonate	Not Established	Not Established	Not Established
Sodium Octane Sulfonate	Not Established	Not Established	Not Established

**EYE PROTECTION SKIN PROTECTION**  : Wear chemical splash goggles or face shield.

Minimize contact with product. Wear chemical resistant coveralls, boots, gloves,

RESPIRATORY PROTECTION

apron and/or suitable long-sleeved clothing. In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

**VENTILATION** 

: Ensure adequate ventilation.

**ADDITIONAL MEASURES** 

Emergency eyewash and safety shower facilities should be available in the immediate work area.

**REQUIRED WORK/HYGIENE** 

Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE** Clear amber liquid with mild odor.

**ODOR** Mild odor Not available **ODOR THRESHOLD** 2.5 + 0.5MELTING POINT/FREEZING Not available

**POINT** 

**BOILING POINT** Approx. 212° F.

**FLASH POINT** Non flammable, non combustible

Not available **EVAPORATION RATE** 

**FLAMMABILITY** Non flammable-Non combustible

**LOWER FLAMMABILITY LIMIT** Not available **UPPER FLAMMABILITY LIMIT** Not available Not available **VAPOR PRESSURE VAPOR DENSITY (AIR=1)** Not available **RELATIVE DESNITY** 1.03

**SOLUBILITY IN WATER** PARTITION COEFFICIENT n-

OCTANOL/WATER

Soluble in water Not available

**AUTOIGNITION TEMPERATURE** Not available **DECOMPOSITION** Not available

**TEMPERATURE** 

#### **SECTION 10 – STABILITY AND REACTIVITY**

REACTIVITY : Thermal decomposition generates: Corrosive vapors. If the product is involved in a

fire, it can release explosion hydrogen gas. When heated to decomposition, emits

toxic fumes. May be corrosive to metals.

**STABILITY** Stable under recommended storage conditions.

HAZARDOUS CONDITIONS TO

AVOID

Direct sunlight. Extremely high or low temperatures. Heat. Combustible materials.

Incompatible materials.

**INCOMPATIBLE MATERIALS** Chlorinated products such as bleach, alkaline materials, metals, metal powder,

> carbides, chlorates, fumigates, nitrates, picrates, strong oxidizers, reducing or combustible organic material. Hazardous gases are evolved on contact with

chemicals such as chlorine bleach, cyanides, sulfides and carbides.

HAZARDOUS DECOMPOSITION

**PRODUCTS** 

Carbon oxides (CO, CO<sub>2</sub>). Thermal decomposition generates: Corrosive vapors.

Toxic gases. Hydrogen gas. Nitrogen oxides. Phosphorous oxides. Sodium oxides.

Potassium oxides.

#### **SECTION 11 – TOXICOLOGICAL INFORMATION**

**TOXICOLOGICAL INFORMATION** Hydroxyacetic Acid

**ACUTE TOXICITY** LD50 Oral (rat): 1357 mg/kg. LC50 Inhalation (male rat): 2.52 mg/L.

**SKIN CORROSION AND EYE** 

DAMAGE

Corrosive

CARCINOGENICITY No data available.

**TOXICOLOGICAL INFORMATION** : Methyl-oxirane polymer with oxirane

**ACUTE ORAL TOXICITY** : LD50 Oral (rat): > 2000 mg/kg, LD50 Dermal (rabbit): 10,200 mg/kg

SKIN AND EYE IRRITATION Draize Test: Eyes: Non irritant, Skin: Non irritant.

**SENSITISATION** : Skin sensitizing effects were not observed in animal studies.

SYMPTOMS OF EXPOSURE : No significant symptoms are expected due to the non-classification of the product.

**TOXICOLOGICAL INFORMATION** 

: Sodium Dodecylbenzene Sulfonate

**ACUTE TOXICITY** 

LD50 Oral rat: 438 mg/kg.

INHALATION TOXICITY **DERMAL TOXICITY** 

No data available No data available

SKIN CORROSION/IRRITATION

Skin – rabbit Result: Skin irritation - 24 h

**SERIOUS EYE** 

Eyes – rabbit Result: Severe eye irritation - 24 h

**DAMAGE/IRRITATION** 

No data available

**RESPIRATORY/SKIN SENSITISATION** 

**GERM CELL MUTAGENICITY** 

No data available

**CARCINOGENICITY** 

No components of this product present at levels greater than or equal to 0.1% are

identified as probable, possible or confirmed human carcinogen by IARC ACGIH, NTP

or OSHA.

**TOXICOLOGICAL INFORMATION** 

**ACUTE TOXICITY IRRITATION** 

Inhalation may cause pain in respiratory system, sneezing coughing and difficulty in

**Sodium Octane Sulfonate** 

**INHALATION** 

breathing.

CARCINOGENICITY

This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

#### **SECTION 12 - ECOLOGICAL INFORMATION**

**ECOLOGICAL INFORMATION** 

**Hydroxyacetic Acid AQUATIC TOXICITY FISH** 

**BIOACCUMULATION** 

: LC50/48 h/Lepomis macrochirus (Bluegill sunfish): 93 mg/L.

**PERSISTENCE AND** 

No data available.

**DEGRADABILITY** 

Readily biodegradable, according to appropriate OECD test.

**ECOLOGICAL INFORMATION** 

**ECOTOXICITY** 

Methyl-oxirane polymer with oxirane

: Toxicity to fish: LC50 (96 h) 105 mg/l, Oncorhynchus mykiss Aquatic invertebrates: EC50 (48 h) 1,033 mg/l, Daphnia magna

Aquatic plants: EC50 (72 h) 370 mg/l, algae

PERSISTENCE AND **BIODEGRADABILITY** 

Assessment: Readily biodegradable (according to OECD criteria)

**MOBILITY** 

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is possible.

**ECOLOGICAL INFORMATION** 

Sodium Dodecylbenzene Sulfonate

**TOXICITY TO FISH** 

Mortality NOEC - Oncorhynchus kisutch - 3.1 mg/l - 3 d Mortality LOEC - Oncorhynchus kisutch - 5.6 mg/l - 3 d

LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h

**ECOLOGICAL INFORMATION** 

**ACUTE TOXICITY FISH, DAPHNIA, BACTERIA** 

Sodium Octane Sulfonate

No ecological data available for this material.

#### **SECTION 13 – DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL RECOMMENDATIONS**  This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to

determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

**ECOLOGY-WASTE MATERIALS** 

This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## **SECTION 14 - TRANSPORTATION INFORMATION**

DOT/IMDG/ IATA PROPER

**SHIPPING NAME** 

N/A

SHIPPING NAIVIE

HAZARD CLASS AND LABEL : N/A
UN NUMBER : N/A
PACKAGING GROUP : N/A

**EPA REPORTABLE QUANTITY** 

(RQ)

: Not applicable.

MARINE POLLUTANT : N/A EMERGENCY RESPONSE GUIDE : N/A

#### **SECTION 15 – REGULATORY INFORMATION**

#### **U.S. FEDERAL REGULATORY INFORMATION:**

**LISTED CARCINOGEN** : Not listed

TSC STATUS : The ingredients of this product are listed on TSCA (Toxic Substances Control Act)

inventory (40CFR 710.)

SARA SECTION 302 : None SARA SECTION 311/312 : None

**HAZARD CLASS** 

SARA SECTION 313 : Not Listed

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

#### **EUROPEAN UNION REGULATORY INFORMATION:**

**EC CLASSIFICATION** : Irritant

**DSD/DPD RISK (R) PHRASES**: R22: Harmful is swallowed.

**DSD/DPD SAFETY (S) PHRASES** : S1/2: Keep locked up and out of reach of children.

S18: Handle and open containers with care.

S26: In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical

advice immediately. Show label where possible.

S61: Avoid release to the environment.

S64: If swallowed, rinse mouth with water if victim is conscious.

**DSD/DPD HAZARD SYMBOL** : C: Corrosive, Xn: Harmful

## **CANADIAN REGULATORY INFORMATION**

**WHMIS CATEGORY** : Class D2B: Materials that cause other toxic effects (TOXIC).

DOMESTIC SUBSTANCES LIST

(DSL)

: Listed



INGREDIENT DISCLOSURE LIST : Listed, This product has been classified in accordance with

the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all of the information required by the CPR.

#### **SECTION 16 - OTHER INFORMATION**

**DISCLAIMER** : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the

specific context of their intended use.

**CERCLA** : Comprehensive Environmental Response, Compensation, and Liability Act.

**EINECS**: European Inventory of Existing Commercial Chemical Substances

IMDG
 International Maritime Code for Dangerous Goods
 IARC
 International Agency for Research on Cancer
 IATA
 International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

**LC50** : Lethal concentration, 50 percent

**LD50** : Lethal dose, 50 percent

**STOT** : Systemic Target Organ Toxicity

**DATE PREPARED** : MAR 1, 2007 **DATE REVISED** : MAR 1, 2015