SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME	DE-FOAM POWDERED DEFOAMER
SYNONYMS	Product is a mixture: No synonyms are available
PRODUCT USE	PH Neutral Material
SUPPLIER	HYDRAMASTER CORP.
SUPPLIER'S ADDRESS	11015 47TH AVE W, MUKILTEO, WA 98275
	(425) 776-7272
EMERGENCY RESPONSE PHONE	PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

GHS – US CLASSIFICATION	:	Not classified under GHS.

HAZARD PICTOGRAMS SIGNAL WORD GHS LABEL ELEMENTS GHS PHYSICAL HAZARDS	Not applicable Not classified The product is classified and labeled according to the Globally Harmonized System (GHS). Not applicable.		
PRECAUTIONARY STATEMENTS (GHS-US)	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. 		
	 P103 Read label before use. P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel P312 unwell. P302+P3 : IF ON SKIN: Wash with plenty of soap and water. 52 		
	 P305+35 IF IN EYES: Rinse cautiously with water for several minutes. Remove 1+ P338 contact lenses, if present and easy to do. Continue rinsing. 		
CLASSIFICATION SYSTEM NFPA RATINGS (SCALE 0-4) HMIS RATINGS (SCALE 0-5)	 NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme. Health = 1 Fire = 0, Reactivity = 0 Health = 1, Fire = 0, Reactivity = 0 		

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS		
CHEMICAL CHARACTERISTIC	:	Mixtures
DESCRIPTION	:	Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Sodium Chloride	> 98	7647-14-5	231-598-3	Not Classified under GHS
Silica filled Polydimethylsiloxane	0.1-1	Trade Secret	N/A	Not Found

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES				
GENERAL	ever give anything by mouth to an unconscious person.	lf you feel unwell, seek		
	edical advice. Show the label where possible.			
EYE CONTACT	mediately flush eyes with water for at least 15 minutes	s. Hold eyelids open to		
	sure adequate flushing. If irritation persists, get immediate	medical attention.		
SKIN CONTACT	move contaminated clothing and shoes. Wash affected s	kin area with soap and		

SWALLOWING (INGESTION)	water. If irritation occurs, get medical attention. If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITIN If vomiting occurs spontaneously, keep airway clear. Give more water when vomit stops.	
INHALATION	Remove to fresh air. If symptoms persist, get medical attention.	
OTHER INSTRUCTIONS	Rescue personnel must wear appropriate protective equipment during removal victims from contaminated areas. Treat symptomatically and supportively.	of

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS UNUSUAL FIRE AND EXPLOSION HAZARDS	 Dry chemical, foam, water or carbon dioxide. In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area. Use water spray to cool nearby containers. No further relevant information is available.
	SECTION 6 – ACCIDENTAL RELEASE MEASURES

- : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment.
- **ENVIRONMENTAL PROCEDURES** : Keep spilled material away from sewage/drainage systems and waterways.

: All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING CONDITIONS FOR SAFE STORAGE	 Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction. Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment
	for fires and spills readily available.



SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

PERSONAL PRECAUTIONS,

PROTECTIVE EQUIPMENT &

EMERGENCY PROCEDURES

METHODS AND MATERIALS

FOR CONTAINMENT AND

CLEAN-UP

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Sodium Chloride	Not Established	Not Established	Not Established
Silica filled Polydimethylsiloxane	Not Established	Not Established	Not Established

EYE PROTECTION

Wear chemical safety glasses or goggles.

SKIN PROTECTION	:	Minimize contact with product.	
RESPIRATORY PROTECTION	:	Not required for this product.	
VENTILATION	:	Ensure adequate ventilation.	
ADDITIONAL MEASURES	:	Emergency eyewash and safety shower facilities should be available in the	
		immediate work area.	
REQUIRED WORK/HYGIENE	:	Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.	

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	:	White moist powder with mild to no odor.
ODOR	:	Mild pleasant fragrance.
ODOR THRESHOLD	:	Not available
РН	:	7.0 - 9.0 (1% solution)
MELTING POINT/FREEZING	:	Not available
POINT		
BOILING POINT	:	Approx. 212° F.
FLASH POINT	:	Non flammable, non combustible
EVAPORATION RATE	:	Not available
FLAMMABILITY	:	Non flammable-Non combustible
LOWER FLAMMABILITY LIMIT	:	Not available
UPPER FLAMMABILITY LIMIT	:	Not available
VAPOR PRESSURE	:	Not available
VAPOR DENSITY (AIR=1)	:	Not available
RELATIVE DESNITY	:	1.0
SOLUBILITY IN WATER	:	Soluble in water
PARTITION COEFFICIENT n-	:	Not available
OCTANOL/WATER		
AUTOIGNITION TEMPERATURE	:	Not available
DECOMPOSITION	:	Not available
TEMPERATURE		

SECTION 10 - STABILITY AND REACTIVITY

		Stable under recommended storage conditions. No decomposition if used according to specifications
INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS		Keep away from strong acids. No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION ACUTE TOXICITY SENSITISATION	: : :	Sodium Chloride LD50 (dermal, rabbit): >10000 mg/kg, LD50 (oral, rat): 3000 mg/kg. After skin contact: Slight irritations. After eye contact: Slight irritations. After swallowing of large amounts: nausea, vomiting.
CHRONIC EFFECTS	:	Non carcinogenic in animal experiments. No mutagenic effect in animal experiments. Mutagenicity (mammal cell test): micronucleus negative. Bacterial mutagenicity: Ames test is negative. No impairment of reproductive performance suspected. No teratogenic effect in animal experiments.
FURTHER TOXILOGICAL INFORMATION	:	

TOXICOLOGICAL INFORMATION GENERAL ACUTE INHALATION SENSITISATION OTHER EFFECTS OF OVEREXPOSURE	 Silica filled Polydimethylsiloxane No adverse effects are expected under normal conditions of use No data available. No data available No adverse effects anticipated from available information. 		
SECTION 12 – ECOLOGICAL INFORMATION			
ECOLOGICAL INFORMATION	: Sodium Chloride		

ACUTE TOXICITY	: Concentration in organisms is not to be expected. Fish toxicity: P.promelas LC50: 7650 mg/l /96 h, Daphnia Toxicity; Daphnia magna EC50: 1000 mg/l/48 h.
PERSISTENCE AND	: Method for the determination of biodegradability are not applicable to inorganic
DEGRADABILITY	substance.
FURTHER ECOLOGICAL DATA	: No ecological problems are to be expected when the product is handled and used
	with due care and attention.
ECOLOGICAL INFORMATION	: Silica filled Polydimethylsiloxane
ECOTOXICOLOGY	: Eco-toxicological data for this product is not available.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: This product must be disposed of in accordance with Federal, state and local
environmental regulations. It is the responsibility of the product user to determine
at the time of disposal whether a material containing, or derived from this product,
should be classified as a hazardous waste.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER SHIPPING NAME	:	Not Hazardous
HAZARD CLASS AND LABEL	:	Not Applicable.
UN NUMBER	:	Not Applicable.
PACKAGING GROUP	:	Not Applicable.
EPA REPORTABLE QUANTITY	:	Not Applicable.
(RQ)		
MARINE POLLUTANT	:	Not listed.
EMERGENCY RESPONSE GUIDE	:	Not Applicable.

SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

U.S. FEDERAL REGULATORY INFORMATION:		
LISTED CARCINOGEN	: Not listed.	
TSCA STATUS	: The ingredients of this product are listed in TSCA inventory (40CFR 710.)	
SARA SECTION 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA SECTION 312	: None listed.	
SARA SECTION 313	 This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. 	

NFPA HEALTH NFPA FLAMMABILITY NFPA REACTIVITY	: : :	1 0 0		
EUROPEAN UNION REGULATORY	INF	ORMATION:		
EC CLASSIFICATION	:	Non Hazardous		
DSD/DPD RISK (R) PHRASES	:	R22: Harmful is swallowed.		
		R36/38: Irritating to eyes and skin.		
DSD/DPD SAFETY (S) PHRASES	:	S24/25: Avoid contact with eyes and skin.		
		S26: In case of contact with eyes, rinse immediately with		
		plenty of water and seek medical advice.		
		S45: In case of accidents or if you feel unwell, seek medical		
		advice immediately. Show label where possible.		
		S62: If swallowed, do not induce vomiting.		
		S64: If swallowed, rinse mouth with water if victim is		
		conscious.		
DSD/DPD HAZARD SYMBOL	:	No symbol		
CANADIAN REGULATORY INFORMATION:				
WHMIS CATEGORY	:	Not classified by WHMIS.		
DOMESTIC SUBSTANCES LIST	:	Listed		
(DSL)				
INGREDIENT DISCLOSURE LIST	:	Listed		

SECTION 16 – OTHER INFORMATION

DISCLAIMER	:	The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.
CERCLA	:	Comprehensive Environmental Response, Compensation, and Liability Act.
EINECS	:	European Inventory of Existing Commercial Chemical Substances
IMDG	:	International Maritime Code for Dangerous Goods
IARC	:	International Agency for Research on Cancer
ΙΑΤΑ	:	International Air Transportation Association
ACGIH	:	American Conference of Governmental Industrial Hygienists
NFPA	:	National Fire Protection Association (USA)
NTP	:	National Toxicology Program
SARA	:	Superfund Amendments and Reauthorization Act
TSCA	:	Toxic Substances Control Act
HMIS	:	Hazardous Materials Identification System (USA)
WHMIS	:	Workplace Hazardous Materials Information System
LC50	:	Lethal concentration, 50 percent
LD50	:	Lethal dose, 50 percent
STOT	:	Systemic Target Organ Toxicity
DATE PREPARED	:	MAR 1, 2006
DATE REVISED	:	MAR 1, 2014