SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME	:	FASTBREAK HD
SYNONYMS	:	Product is a mixture: No synonyms are available.
PRODUCT USE	:	Mildly Alkaline Material
SUPPLIER	:	HYDRAMASTER CORP.
SUPPLIER'S ADDRESS	:	11015 47TH AVE. W, MUKILTEO, WA 98275
		(425) 775-7272
EMERGENCY RESPONSE PHONE	:	PERS: 1-800-633-8253
NUMBER		

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE Harmful if swallowed. **GHS U.S. – CLASSIFICATION** : H302 H315 Causes skin irritation H319 Causes serious eye irritation **GHS – US HAZARD PICTOGRAMS** LABEL ELEMENTS The product is classified and labeled according : to the Globally Harmonized System (GHS). HAZARD PICTOGRAMS : SIGNAL WORD WARNING **HAZARD STATEMENTS** Not established : (GHS-US) H302 Harmful if swallowed. : H315 Causes skin irritation. : H319 Causes serious eye irritation. : **PRECAUTIONARY STATEMENTS** : P101 If medical advice is needed, have product container or label at hand. (GHS-US) Keep out of reach of children. : P102 P103 Read label before use. : : P264 Wash skin and contaminated clothing thoroughly after handling. P270 Do not eat, drink or smoke when using this product. : P280 Wear suitable protective gloves/protective clothing/eye : protection/face protection. : P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel P312 unwell. P302+P352 : IF ON SKIN: Wash with plenty of soap and water. : P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove : P338 contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. P332+P313 : If eye irritation persists: Get medical advice/attention. : P337+P313 P501 Dispose of contents/container in accordance with : local/regional/national/international regulations CLASSIFICATION SYSTEM NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme. : NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0

HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC : Mixtures DESCRIPTION

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Tetrapotassium Pyrophosphate	5-10	7320-34-5	230-785-7	Not Established
Diethylene Glycol Monobutyl Ether	10-20	112-34-5	203-961-6	Eye Irrit Cat 2B
Sodium Dodecylbenzene Sulfonate	5-10	25155-30-0	246-680-4	Skin Irrit Cat 4, Eye Dam Cat 2
				Acute Tox Cat 4, STOT SE Cat 3
Acrylic Polymer(s)	5-10	Trade Secret	N/A	Not found
Institution Con Constitut Down		Cata and Tax	Table CTOT	Constitution Township

Irrit = Irritation, Cor = Corrosive, Dam = Damage, Cat = Category, Tox = Toxic, STOT = Specific Target Organ Toxicity.

SECTION 4 – FIRST AID MEASURES

GENERAL	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.
EYE CONTACT	: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. If irritation persists, get immediate medical attention.
SKIN CONTACT	: Remove contaminated clothing and shoes. Wash affected skin area with soap and water. If irritation persists, get immediate medical attention.
SWALLOWING (INGESTION)	: If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.
INHALATION	: Remove to fresh air. Get immediate medical attention.
OTHER INSTRUCTIONS	: Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE	 Dry chemical, foam, water or carbon dioxide. In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area.
FIGHTERS UNUSUAL FIRE AND EXPLOSION HAZARDS	: No further relevant information is available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES	:	Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
ENVIRONMENTAL PROCEDURES	:	Keep spilled material away from sewage/drainage systems and waterways.
METHODS AND MATERIALS	:	All clean-up personnel must be properly trained. Confine the spill and remove
FOR CONTAINMENT AND		incompatible materials and ignition sources. Ensure adequate ventilation. Secure the
CLEAN-UP		source of the leak if conditions are safe. Neutralize spill and collect using an

appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE				
PRECAUTIONS FOR SAFE HANDLING	: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.			
CONDITIONS FOR SAFE STORAGE	: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.			



SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Tetrapotassium Pyrophosphate	Not Established	Not Established	Not Established
Diethylene Glycol Monobutyl Ether	Not Established	Not Established	Not Established
Sodium Dodecylbenzene Sulfonate	Not Established	Not Established	Not Established
Acrylic Polymer(s)	Not Established	Not Established	Not Established
	L	1	1

EYE PROTECTION	: Wear chemical splash goggles or face shield.
SKIN PROTECTION	: Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.
RESPIRATORY PROTECTION	: In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
VENTILATION	: Ensure adequate ventilation.
ADDITIONAL MEASURES	: Emergency eyewash and safety shower facilities should be available in the immediate work area.
REQUIRED WORK/HYGIENE	: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	:	Opaque light amber viscous liquid with mild odor.
ODOR	:	Mild odor
ODOR THRESHOLD	:	Not available
РН	:	8.75 <u>+</u> 0.5 AS IS
MELTING POINT/FREEZING	:	Not available
POINT		
BOILING POINT	:	Approx. 212° F.
FLASH POINT	:	Non flammable, non combustible
EVAPORATION RATE	:	Not available
FLAMMABILITY	:	Non flammable-Non combustible

LOWER FLAMMABILITY LIMIT	:	Not available
UPPER FLAMMABILITY LIMIT	:	Not available
VAPOR PRESSURE	:	Not available
VAPOR DENSITY (AIR=1)	:	Not available
RELATIVE DESNITY	:	1.13
SOLUBILITY IN WATER	:	Soluble in water
PARTITION COEFFICIENT n-	:	Not available
OCTANOL/WATER		
AUTOIGNITION TEMPERATURE	:	Not available
DECOMPOSITION	:	Not available
TEMPERATURE		

SECTION 10 - STABILITY AND REACTIVITY

STABILITY HAZARDOUS CONDITONS TO AVOID	:	Stable under recommended storage conditions. No decomposition if used according to specifications
INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS	:	Keep away from strong acids. No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION ACUTE TOXICITY	:	Tetrapotassium Pyrophosphate Oral - rat LD50: > 2980 mg/kg; slightly toxic Dermal - rabbit LD50: > 7940 mg/kg; practically nontoxic Eye Irritation - rabbit: 11.1/110.0; moderately irritating Skin Irritation - rabbit: 0.5/8.0 (24-hr exposure); practically nonirritating.
TOXICOLOGICAL INFORMATION	:	Diethylene Glycol Monobutyl Ether (DB)
ΑCUTE ΤΟΧΙΟΙΤΥ		Oral LD50 Oral (rat): 5560 mg/kg. LC50 dermal and inhalation: Not listed.
CHRONIC EFFECTS	:	Prolonged absorption causes liver and kidney damage, and red cell haemolysis
	•	(blood in urine) in laboratory animals; no such effects have been seen in humans
SENSITISATION	:	Not a sensitizer.
CARCINOGENICITY		No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and OSHA.
TOXICOLOGICAL INFORMATION	:	Sodium Dodecylbenzene Sulfonate
TOXICOLOGICAL INFORMATION ACUTE TOXICITY	:	Sodium Dodecylbenzene Sulfonate LD50 Oral rat: 438 mg/kg.
	: : :	•
ACUTE TOXICITY	: : :	LD50 Oral rat: 438 mg/kg.
ACUTE TOXICITY INHALATION TOXICITY	::	LD50 Oral rat: 438 mg/kg. No data available
ACUTE TOXICITY INHALATION TOXICITY DERMAL TOXICITY	:	LD50 Oral rat: 438 mg/kg. No data available No data available
ACUTE TOXICITY INHALATION TOXICITY DERMAL TOXICITY SKIN CORROSION/IRRITATION	:	LD50 Oral rat: 438 mg/kg. No data available No data available Skin – rabbit Result: Skin irritation - 24 h
ACUTE TOXICITY INHALATION TOXICITY DERMAL TOXICITY SKIN CORROSION/IRRITATION SERIOUS EYE	:	LD50 Oral rat: 438 mg/kg. No data available No data available Skin – rabbit Result: Skin irritation - 24 h
ACUTE TOXICITY INHALATION TOXICITY DERMAL TOXICITY SKIN CORROSION/IRRITATION SERIOUS EYE DAMAGE/IRRITATION	:	LD50 Oral rat: 438 mg/kg. No data available No data available Skin – rabbit Result: Skin irritation - 24 h Eyes – rabbit Result: Severe eye irritation - 24 h
ACUTE TOXICITY INHALATION TOXICITY DERMAL TOXICITY SKIN CORROSION/IRRITATION SERIOUS EYE DAMAGE/IRRITATION RESPIRATORY/SKIN	:	LD50 Oral rat: 438 mg/kg. No data available No data available Skin – rabbit Result: Skin irritation - 24 h Eyes – rabbit Result: Severe eye irritation - 24 h No data available No data available
ACUTE TOXICITY INHALATION TOXICITY DERMAL TOXICITY SKIN CORROSION/IRRITATION SERIOUS EYE DAMAGE/IRRITATION RESPIRATORY/SKIN SENSITISATION	:	LD50 Oral rat: 438 mg/kg. No data available No data available Skin – rabbit Result: Skin irritation - 24 h Eyes – rabbit Result: Severe eye irritation - 24 h No data available

TOXICOLOGICAL INFORMATION : Acrylic Polymer(s)

ACUTE TOXICITY SKIN & EYE IRRITATION CARCINOGENICITY SENSITISATION	 LD50 Oral (rat): > 2,000 mg/kg LD50 Dermal (rabbit): > 5,000 mg/kg Mild skin Irritant. Mild eye irritant. No data available. No allergic response observed.
	SECTION 12 – ECOLOGICAL INFORMATION
ECOLOGICAL INFORMATION ECOTOXICITY	 Tetrapotassium Pyrophosphate 48-hr EC50 Daphnia magna: > 100 mg/l, Practically Nontoxic 96-hr LC50 Mysid Shrimp > 100 mg/l, Practically Nontoxic 96-hr LC50 Rainbow trout: > 100 mg/l, Practically Nontoxic.
ENVIRONMENTAL FATE	: Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no adverse ecological risk.
ECOLOGICAL INFORMATION ECOTOXICITY	 Diethylene Glycol Monobutyl Ether (DB) This product cannot accumulate in living tissue; diluted, this product is readily and rapidly in a wastewater treatment facility; in BOD test, 88% degraded in 28 says; half-life in air estimated as 10 hours.
PERSISTENCE AND DEGRADABILITY	: No data available.
ECOLOGICAL INFORMATION TOXICITY TO FISH	 Sodium Dodecylbenzene Sulfonate Mortality NOEC - Oncorhynchus kisutch - 3.1 mg/l - 3 d Mortality LOEC - Oncorhynchus kisutch - 5.6 mg/l - 3 d LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h
ECOLOGICAL INFORMATION TOXICITY TO FISH	 Acrylic Polymer(s) LC50: Brachydanio rerio/96 hr: > 100 mg/L. LC50: Daphnia magna/48 hr: > 100 mg/L.
BIOACCUMULATION PERSISTENCE/DEGRADABILITY	 This product is not expected to bioaccumulate. Not readily biodegradable.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: This product must be disposed of in accordance with Federal, state and local
environmental regulations. Discarded materials may be considered hazardous waste
due to pH/corrosivity. It is the responsibility of the product user to determine at the
time of disposal whether a material containing, or derived from this product, should
be classified as a hazardous waste.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER	:	Not Hazardous
SHIPPING NAME		
HAZARD CLASS AND LABEL	:	Not Applicable.
UN NUMBER	:	Not Applicable.
PACKAGING GROUP	:	Not Applicable.
EPA REPORTABLE QUANTITY	:	Not Applicable.
(RQ)		

SECTION 15 – REGULATORY INFORMATION

MARINE POLLUTANT	:	Not listed.
EMERGENCY RESPONSE GUIDE	:	Not Applicable

		ATION:	
LISTED CARCINOGEN TSCA STATUS	:	Not listed. The ingredients of this product are listed in TSCA inventory (40CF	(D 710)
SARA SECTION 302	:	No chemicals in this material are subject to the reporting require	
SARA SECTION SUZ	•	III, Section 302.	ments of SARA Title
SARA SECTION 313	:	This material does not contain any chemical components with kn that exceed the threshold (De Minimis) reporting levels establish Section 313.	
NFPA HEALTH		2	
	:	0	
NFPA REACTIVITY	:	0	
EUROPEAN UNION REGULATORY		ODMATION:	
EC CLASSIFICATION		Non Hazardous	
DSD/DPD RISK (R) PHRASES	:	R22: Harmful is swallowed.	
	•	R36/38: Irritating to eyes and skin.	
DSD/DPD SAFETY (S) PHRASES		S1/2: Keep locked up and out of reach of children.	
DSD/DPD SAFETT (S) PHRASES	•	S24/25: Avoid contact with eyes and skin.	
		S24725. Avoid contact with eyes and skin. S26: In case of contact with eyes, rinse immediately with	
		plenty of water and seek medical advice.	
		S36/S37/39: Wear suitable protective clothing, gloves and	
		eye/face protection.	
		S45: In case of accidents or if you feel unwell, seek	
		medical advice immediately. Show label where possible.	
		S61: Avoid release to the environment.	i
		S62: If swallowed, do not induce vomiting.	
		S64: If swallowed, rinse mouth with water if victim is	
		conscious.	
DSD/DPD HAZARD SYMBOL	:	Xi: Irritant	
CANADIAN REGULATORY INFORI	ИАТ	ION:	
WHMIS CATEGORY	:	D2B: Materials that cause other toxic effects (TOXIC).	\frown
			~~ \
	:	Listed	
(DSL)			
INGREDIENT DISCLOSURE LIST	:	Listed	

DISCLAIMER : The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

CERCLA EINECS IMDG IARC IATA ACGIH NFPA NTP	: : : : : : :	Comprehensive Environmental Response, Compensation, and Liability Act. European Inventory of Existing Commercial Chemical Substances International Maritime Code for Dangerous Goods International Agency for Research on Cancer International Air Transportation Association American Conference of Governmental Industrial Hygienists National Fire Protection Association (USA) National Toxicology Program
	:	
NTP	:	
SARA	:	Superfund Amendments and Reauthorization Act
TSCA	:	Toxic Substances Control Act
HMIS	:	Hazardous Materials Identification System (USA)
WHMIS	:	Workplace Hazardous Materials Information System
LC50	:	Lethal concentration, 50 percent
LD50	:	Lethal dose, 50 percent
STOT	:	Systemic Target Organ Toxicity
DATE PREPARED	:	MAR 1, 2012
DATE REVISED	:	MAR 1, 2015