SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME SYNONYMS PRODUCT USE SUPPLIER	:	HYDRAVITALIZE Product is a mixture: No synonyms are available. Moderately Acidic Material HYDRAMASTER CORP.
SUPPLIER'S ADDRESS		11015 47TH AVE W, MUKILTEO, WA 98275 (425) 776-7272 PERS: 1-800-633-8253
NUMBER		

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTA GHS U.S. – CLASSIFICATION	-	E OR MIXTURE H302 H315 H319	Harmful if swallowed. Causes skin irritation Causes serious eye irr	
LABEL ELEMENTS	:	GHS – US H	AZARD PICTOGRAMS	The product is classified and labeled according to the Globally Harmonized System (GHS).
HAZARD PICTOGRAMS	:			
SIGNAL WORD HAZARD STATEMENTS (GHS-US)	:	WARNING	Not established	
	:	H302	Harmful if swallowed.	
	:	H315	Causes skin irritation.	
	:	H319	Causes serious eye irr	itation.
PRECAUTIONARY STATEMENTS (GHS-US)	:	P101	If medical advice is ne	eded, have product container or label at hand.
	:	P102	Keep out of reach of o	children.
	:	P103	Read label before use	
	:	P260		fume/gas/mist/vapors/spray.
	:	P264		ninated clothing thoroughly after handling.
	:	P270		moke when using this product.
	:	P280	Wear suitable protect protection/face prote	ive gloves/protective clothing/eye ction.
	:	P301+P312	IF SWALLOWED: Call a unwell.	a POISON CENTER or doctor/physician if you feel
	:	P302+P352	: IF ON SKIN: Wash w	ith plenty of soap and water.
	:	P305+351+		iously with water for several minutes. Remove
		P338	contact lenses, if pres	ent and easy to do. Continue rinsing.
	:	P332+P313	If skin irritation occur	s: Get medical advice/attention.
	:	P337+P313	If eye irritation persist	ts: Get medical advice/attention.
	:	P501	Dispose of contents, national / internation	/container in accordance with local /regional / al regulations.
CLASSIFICATION SYSTEM NFPA RATINGS (SCALE 0-4)	:		Definitions: 0-Least, 1-S ire = 0, Reactivity = 0	light, 2-Moderate, 3-High, 4-Extreme.

HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC	:	Mixtures
DESCRIPTION	:	Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Carbamide Hydrochloride	20-40	506-89-8	208-059-6	Not Found
Poly(oxy-1,2-ethanediyl), a- undecyl-w-hydroxy-	1-5	34398-01-1	Not Found	Not Found
Propylene Glycol Butyl Ether	1-5	5131-66-8 &	225-878-4	Skin Irrit. Cat 2, Eye Irrit. Cat 2A
		18821-83-7		

Cat = Category, Corr = Corrosion, Irrit = Irritant, Dam = Damage, Tox = Toxicity, Inhal = Inhalation, STOT RE = Specific Target Organ Toxicity Repeated Exposure.

SECTION 4 – FIRST AID MEASURES				
DESCRIPTION OF FIRST AID MEASURES				
GENERAL	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.			
EYE CONTACT	: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediate call a POISON CENTER or doctor/physician.			
SKIN CONTACT	: Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. If irritation persists, get immediate medical attention.			
SWALLOWING (INGESTION)	: If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.			
INHALATION OTHER INSTRUCTIONS	 Remove to fresh air. If symptoms persist, get immediate medical attention. Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively. 			

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA EXPLOSION HAZARDS REACTIVITY (FIRE)	::	Water spray, fog, carbon dioxide, foam, dry chemical Product is not explosive. Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release explosive hydrogen gas. When heated to decomposition, emits toxic fumes. May be corrosive to metals.
SPECIAL INSTRUCTIONS TO FIRE	FIG	HTERS
PRECAUTIONARY MEASURES	:	Exercise caution when fighting any chemical fire.
FIREFIGHTING INSTRUCTIONS	:	Use water spray or fog for cooling exposed containers.
PROTECTION DURING	:	Do not enter fire area without proper protective equipment, including respiratory
FIREFIGHTING		protection.
HAZARDOUS COMBUSTION	:	Potassium oxides. May liberate toxic gases. Sodium oxides. Phosphorous oxides.
PRODUCTS		Nitrogen oxides. Carbon oxides (CO, CO ₂). Explosive Hydrogen gas.
OTHER INFORMATION (FIRE)	:	Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

horized or unprotected personnel. Wear protective direct contact.
wewage/drainage systems and waterways. properly trained. Confine the spill and remove on sources. Ensure adequate ventilation. Secure the s are safe. Neutralize spill and collect using an such as clay or vermiculite. Place waste in an

SECTION 7 – HANDLING AND STORAGE

the material and injury from broken containers.

PRECAUTIONS FOR SAFE HANDLING	: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.
CONDITIONS FOR SAFE STORAGE	: Store in a dry, cool and well ventilated place. Keep container closed when not in use. Keep/store away from extremely high or low temperatures, direct sunlight, heat and incompatible materials (Strong acid, Strong oxidizers).



SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

appropriate container for disposal. Use care during clean-up to avoid exposure to

COMPONENT	USA OSHA PEL – TWA	USA ACGIH TWA	USA ACGIH – STEL
Carbamide Hydrochloride	Not Established	Not Established	Not Established
Poly(oxy-1,2-ethanediyl), a-undecyl-w- hydroxy-	Not Established	Not Established	Not Established
Propylene Glycol Butyl Ether	Not Established	Not Established	Not Established

EYE PROTECTION	: Wear chemical splash goggles or face shield.
SKIN PROTECTION	: Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.
RESPIRATORY PROTECTION	: In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
VENTILATION	: Ensure adequate ventilation.
ADDITIONAL MEASURES	: Emergency eyewash and safety shower facilities should be available in the immediate work area.
REQUIRED WORK/HYGIENE	: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE
ODOR

: Light amber liquid with mild odor.

: Mild odor

ODOR THRESHOLD	:	Not available
РН	:	5-6
MELTING POINT/FREEZING	:	Not available
POINT		
BOILING POINT	:	Approx. 212° F.
FLASH POINT	:	Non flammable, non combustible
EVAPORATION RATE	:	Not available
FLAMMABILITY	:	Non flammable-Non combustible
LOWER FLAMMABILITY LIMIT	:	Not available
UPPER FLAMMABILITY LIMIT	:	Not available
VAPOR PRESSURE	:	Not available
VAPOR DENSITY (AIR=1)	:	Not available
RELATIVE DESNITY	:	1.06
SOLUBILITY IN WATER	:	Soluble in water
PARTITION COEFFICIENT n-	:	Not available
OCTANOL/WATER		
AUTOIGNITION TEMPERATURE	:	Not available
DECOMPOSITION	:	Not available
TEMPERATURE		

SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY	Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release explosion hydrogen gas. When heated to decomposition, emits toxic fumes. May be corrosive to metals.
STABILITY	Stable under recommended storage conditions.
HAZARDOUS CONDITIONS TO AVOID	Direct sunlight. Extremely high or low temperatures. Heat. Combustible materials. Incompatible materials.
INCOMPATIBLE MATERIALS	Chlorinated products such as bleach, alkaline materials, metals, metal powder, carbides, chlorates, fumigates, nitrates, picrates, strong oxidizers, reducing or combustible organic material. Hazardous gases are evolved on contact with chemicals such as chlorine bleach, cyanides, sulfides and carbides.
HAZARDOUS DECOMPOSITION PRODUCTS	Carbon oxides (CO, CO ₂). Thermal decomposition generates: Corrosive vapors. Toxic gases. Hydrogen gas. Nitrogen oxides. Phosphorous oxides. Sodium oxides. Potassium oxides.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION ACUTE ORAL TOXICITY ACUTE DERMAL TOXICITY ACUTE INHALATION TOXICITY PRIMARY SKIN & EYE IRRITATION	 Carbamide Hydrochloride LD50 Oral (rat): No data available. LD50 Dermal (rabbit): No data available. LC50 Inhalation: No data available. No data available.
TOXICOLOGICAL INFORMATION ACUTE TOXICITY IRRITATION CHRONIC EFFECTS	 Poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- LD50 Oral (rat): > 1,400 mg/kg, LD50 Dermal (rabbit): No data available. Eyes: Severe eye irritant, Skin: Severe skin irritant. No data available
TOXICOLOGICAL INFORMATION ACUTE TOXICITY ACUTE INHALATION TOXICITY	 Propylene Glycol Butyl Ether LD 50 Rat: 2,200 mg/kg No data available

ACUTE DERMAL TOXICITY

: LD 50 Rabbit: 3,100 mg/kg

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION EC50 BACTERIUM TOXICITY LC50 RAINBOW TROUT BOD COD HEAVY METALS	 Carbamide Hydrochloride Not available. Not available. No data No data No data No data
ECOLOGICAL INFORMATION TOXICITY TO FISH TOXICITY TO DAPHNIA PERSISTENCE AND DEGRADABILITY BIOACCUMULATIVE POTENTIAL	 Poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- LC50 (96 h): 1 - 10 mg/l Species : Fathead minnow (Pimephales promelas). EC50 (48 h): 1 - 10 mg/l Species : Daphnia Not biodegradable. No data available.
ECOLOGICAL INFORMATION ECOTOXICITY: TOXICITY TO FISH TOXICITY TO DAPHNIA TOXICITY TO ALGAE TOXICITY TO BACTERIA	 Propylene Glycol Butyl Ether No data available
	SECTION 13 – DISPOSAL CONSIDERATIONS
WASTE DISPOSAL RECOMMENDATIONS	: This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from
ECOLOGY-WASTE MATERIALS	this product, should be classified as a hazardous waste.This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER SHIPPING NAME	:	N/A
HAZARD CLASS AND LABEL	:	N/A
UN NUMBER	:	N/A
PACKAGING GROUP	:	N/A
EPA REPORTABLE QUANTITY	:	N/A
(RQ)		
MARINE POLLUTANT	:	N/A
EMERGENCY RESPONSE GUIDE		N/A

SECTION 15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN	:	Not listed
TSC STATUS	:	The ingre

: The ingredients of this product are listed on TSCA (Toxic Substances Control Act) inventory (40CFR 710.)

SARA SECTION 302	:	None
SARA SECTION 311/312	:	Not listed.
HAZARD CLASS		
SARA SECTION 313	:	Not Listed
NFPA HEALTH	:	2
NFPA FLAMMABILITY	:	0
NFPA REACTIVITY	:	0
EUROPEAN UNION REGULATOR	Y IN	IFORMATION:
EC CLASSIFICATION	:	Xi: Irritant.
DSD/DPD RISK (R) PHRASES	:	R22: Harmful is swallowed.
		R36/38: Irritating to eyes and skin.
DSD/DPD SAFETY (S) PHRASES	:	S1/2: Keep locked up and out of reach of children.
		S18: Handle and open containers with care.
		S26: In case of contact with eyes, rinse immediately with plenty
		of water and seek medical advice.
		S36/S37/39: Wear suitable protective clothing, gloves and
		eye/face protection.
		S45: In case of accidents or if you feel unwell, seek medical
		advice immediately. Show label where possible.
		S61: Avoid release to the environment.
		S64: If swallowed, rinse mouth with water if victim is conscious.
DSD/DPD HAZARD SYMBOL	:	C: Corrosive, Xn: Harmful
CANADIAN REGULATORY INFOR	MA	TION
WHMIS CATEGORY	:	Class E: Corrosive, Class D2B: Materials that cause other toxic
		effects (TOXIC).
DOMESTIC SUBSTANCES LIST	:	Listed
(DSL)		
INGREDIENT DISCLOSURE LIST	:	Listed, This product has been classified in accordance with
		the hazard criteria of the Controlled Products Regulations
		(CPR) and the sds contains all of the information required by the CPR.
		SECTION 16 – OTHER INFORMATION
DISCLAIMER	:	The information contained herein has been compiled from sources believed to

DISCLAIMER :	The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.
CERCLA :	Comprehensive Environmental Response, Compensation, and Liability Act.
EINECS :	European Inventory of Existing Commercial Chemical Substances
IMDG :	International Maritime Code for Dangerous Goods
IARC :	International Agency for Research on Cancer
IATA :	International Air Transportation Association
ACGIH :	American Conference of Governmental Industrial Hygienists
NFPA :	National Fire Protection Association (USA)
NTP :	National Toxicology Program
SARA :	Superfund Amendments and Reauthorization Act

TSCA :	Toxic Substances Control Act
HMIS :	Hazardous Materials Identification System (USA)
WHMIS :	Workplace Hazardous Materials Information System
LC50 :	Lethal concentration, 50 percent
LD50 :	Lethal dose, 50 percent
STOT :	Systemic Target Organ Toxicity
DATE PREPARED :	JAN 2, 2013
DATE REVISED :	MAR 1, 2015