SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME:.....RELEASE WITH OXYBREAK

SYNONYMS:Product is a mixture: No synonyms are available.

EMERGENCY RESPONSE NUMBER: PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

GHS PRODUCT CLASSIFICATION: ... Skin corrosion/irritation Category 2

Serious eye damage/irritation Category 2A

Toxicity - Acute, oral Category 4

SIGNAL WORD: DANGER

GHS PHYSICAL HAZARD STATEMENT: H290: May be corrosive to metals.

GHS HEALTH HAZARD STATEMENT: H315: Causes skin irritation and eye damage.

H302: Harmful if swallowed.

GHS LABEL ELEMENTS:.....The product is classified and labeled according to the Globally Harmonized System

(GHS).

PRECAUTIONARY STATEMENT: P260: Do not breathe mist, vapors, spray

P264: Wash exposed skin thoroughly after handling.

P280: Wear protective gloves, protective clothing, eye protection, face

protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth, Do NOT induce vomiting. P303+P361+P353: IF ON SKIN: (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents/container to comply with local, state and federal

regulations.

CLASSIFICATION SYSTEM: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA ratings (scale 0-4): Health = 2, Fire = 0, Reactivity = 0

HMIS ratings (scale 0-5): Health = 2, Fire = 0, Reactivity = 0

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

Chemical characterization:..... Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

| COMPONENT | PERCENT | CAS# | EC# | GHS CLASS | |
|-----------------------------------|---------|---------------------------|--------------|---|--|
| Hydrogen Peroxide | 5-10 | 7722-84-1 | 231-633-2 | Ox Liq Cat 1, Skin Corr Cat 1A Acute Tox Oral Cat 4, Acute Tox Inhal Cat 4 | |
| Dipropylene Glycol Methyl Ether | 1-5 | 34590-94-8 | 262-104-2 | Eye Irrit: Cat 2B, Combustible Liq Cat 4 | |
| Propylene Glycol Butyl Ether | 1-5 | 5131-66-8 & 15821-83-7 | 225-878-4 | Skin Irrit. Cat 2, Eye Irrit. Cat 2A, Combustible Liq Cat 3 | |
| Aminotrimethylene Phosphonic Acid | 1-5 | 6419-19-8 | 229-146-5 | Metal Corr Cat 1, Eye Irrit Cat 2 | |
| Acrylate Copolymer(s) | 10-20 | Trade Secret | Trade Secret | Eye Irrit Cat 2A | |

Ox = Oxidizer, Liq = Liquid, Cat = Category, Tox = Toxic, Inhal = Inhalaiton, Corr = Corrosive, Irrit = Irritation (Also contains non hazardous biodegradable surfactant)

SECTION 4 - FIRST AID MEASURES

| EYE CONTACT: | Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Get immediate medical attention. Do not apply neutralizing agents. |
|-------------------------|--|
| SKIN CONTACT: | Remove contaminated clothing and shoes immediately. Wash affected skin area with |
| | soap and water. Delayed skin damage is possible if product is not completely washed |
| | off. Get immediate medical attention. |
| SWALLOWING (INGESTION): | If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. |
| | Immediately call Poison Control Center. Take container or container label to the doctor |
| | or hospital. Never give anything by mouth to an unconscious person. |
| INHALATION: | Remove to fresh air. |
| OTHER INSTRUCTIONS: | . Use personal protective equipment. Avoid contact with skin, eyes and clothing. |

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use extinguishing media for surrounding fires. All extinguishing media is allowed. **SPECIAL PROTECITVE EQUIPMENT**

AND PRECATUIONS FOR FIRE FIGHTERS: In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area. Cool tanks/drums with water spray. Dilute toxic gasses with water spray.

UNUSUAL FIRE AND

EXPLOSION HAZARDS: May react with strong oxidizers and strong reducers. Reacts with chlorine compounds to product toxic gas.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT

AND EMERGENCY PROCEDURES:... Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PRECAUTIONS:. Keep spilled material away from sewage/drainage systems and waterways. **METHODS AND MATERIALS FOR**

containment and clean up:.... All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container

for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Use with adequate ventilation. Wear proper protective equipment. Do not mix with other compounds to prevent a potentially violent reaction.

CONDITIONS FOR SAFE STORAGE:.Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE):.... The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

| COMPONENT | USA OSHA PEL – TWA | USA ACGIH TWA | USA ACGIH – STEL |
|-----------------------------------|-----------------------|----------------------|----------------------|
| Hydrogen Peroxide | 1.4 mg/m ³ | 1.4mg/m ³ | 1.4mg/m ³ |
| Dipropylene Glycol Methyl Ether | 100 ppm | 100 ppm | 150 ppm |
| Propylene Glycol Butyl Ether | Not Established | Not Established | Not Established |
| Aminotrimethylene Phosphonic Acid | Not Established | Not Established | Not Established |
| Acrylate Copolymer(s) | Not Established | Not Established | Not Established |

EYE PROTECTION: Wear chemical splash goggles or safety glasses.

SKIN PROTECTION: Minimize contact with product. Wear suitable long-sleeved clothing.

RESPIRATORY PROTECTION: In case of brief exposure use respiratory filter device. In case of intensive or longer

exposure, use respiratory protective device that is independent of circulating air.

VENTILATION:.....Ensure adequate ventilation.

ADDITIONAL MEASURES: Emergency eyewash and safety shower facilities should be available in the immediate

work area.

REQUIRED WORK/HYGIENE: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and

feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:.....Clear colorless liquid with mild odor.

BOILING POINT:......Not available **FLASHPOINT:**.....Not applicable **EVAPORATION RATE:**....Not Available

FLAMMABILITY:.....Non flammable, non combustible

RELATIVE DENSITY:.....1.05

SOLUBILITY IN WATER:Soluble in water

PARTITION COEFFICIENT n-OCTANOL/WATER: Not Available

AUTOIGNITION TEMPERATURE:.... Not Available **DECOMPOSITION TEMPERATURE:.** Not Available

SECTION 10 – STABILITY AND REACTIVITY

STABILITY:Stable under recommended storage conditions.

HAZARDOUS CONDITIONS TO AVOID: Avoid direct sunlight, extremely high or low temperatures.

INCOMPATIBLE MATERIALS: Chlorinated products such as bleach, alkaline materials, metals, metal powder, carbides,

chlorates, fumigates, nitrates, picrates, strong oxidizers, reducing or combustible organic material. Hazardous gases are evolved on contact with chemicals such as

chlorine bleach, cyanides, sulfides and carbides.

HAZARDOUS DECOMPOSITION PRODUCTS: Phosphorous oxides. Carbon monoxide. Carbon dioxide. Thermal

decomposition generates: Corrosive vapors.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Hydrogen Peroxide:

TOXICITY TO ANIMALS:..... Acute oral toxicity (LD50): 6667 mg/kg (Mouse) (Calculated value for the mixture).

Acute dermal toxicity (LD50): 6667 mg/kg, (pig) (Calculated value for the mixture).

CHRONIC EFFECTS ON HUMANS:...CARCINOGENIC EFFECTS: Classified A3 (Proven for animal.) by ACGIH [Hydrogen Peroxide]. Classified 3 (Not classifiable for human.) by IARC [Hydrogen Peroxide]. UTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. [Hydrogen Peroxide]. Mutagenic for bacteria and/or yeast. [Hydrogen Peroxide]. Contains material which may cause damage to the following organs: blood, upper respiratory tract, skin, eyes, central

nervous system (CNS).

TOXICOLOGICAL INFORMATION:... Dipropylene Glycol Methyl Ether:

ACUTE TOXICITY:LD50 values: Oral LD50: 5152 mg/kg (rat). LC50 dermal and inhalation: Not listed. Eyes:

Rabbit: Mild Irritation: 25 hours.

identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and OSHA.

TOXICOLOGICAL INFORMATION:... Propylene Glycol Butyl Ether

ACUTE TOXICITY: LD 50 Rat: 2,200 mg/kg

ACUTE INHALATION TOXICITY:..... No data available

ACUTE DERMAL TOXICITY:LD 50 Rabbit: 3,100 mg/kg

TOXICOLOGICAL INFORMATION:... Aminotrimethylene Phosphonic Acid

ACUTE TOXICITY: Not harmful to aquatic organisms (short term and long term exposure) ATMP can lead

to growth inhibition in algae, but this effect is a consequence of the substance's

complexation with essential nutrients and not of true toxicity.

TOXICOLOGICAL INFORMATION:... Acrylic Copolymer

ACUTE TOXICITY:LD50 Oral (rat): 340mg/kg,

ACUTE EFFECTS: May cause significant irritation to the eyes. May cause significant irritation to the skin.

CARCINOGENICITY:..... No data available.

MUTAGENICITY:Not reported to produce mutagenic effects on humans.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Hydrogen Peroxide **AQUATIC TOXICITY:** No relevant information available. PERSISTENCE AND DEGRADABILITY: The products of biodegradation are less toxic than the product itself. **BIOACCUMULATIVE POTENTIAL:...** No relevant information available. **ECOLOGICAL INFORMATION: Dipropylene Glycol Methyl Ether: ECOTOXICITY** (aquatic and terrestrial, where available): ACUTE FISH TOXICITY:.....LC50 / 96 hours Fathead Minnow - >10,000 mg/L TOXICITY TO DAPHNIA:..... EC50 / 48 hours Water flea - 1,919 mg/L **PERSISTENCE and DEGRADABILITY:** No data available **BIOACCUMULATIVE POTENTIAL:...** No data available ECOLOGICAL INFORMATION: Propylene Glycol Butyl Ether ECOTOXICITY: TOXICITY TO FISH: .. Propylene glycol butyl ether: no data available TOXICITY TO DAPHNIA:......Propylene glycol butyl ether: no data available TOXICITY TO BACTERIA: Propylene glycol butyl ether: no data available ECOLOGICAL INFORMATION: Aminotrimethylene Phosphonic Acid **ECOTOXICITY:** Not Available. period. **BIOACCUMULATION POTENTIAL:..** Not potentially bioaccumulative. (Log KOW = -3.35). ECOLOGICAL EFFECTS:..... Acrylic Copolymer volumes are released into the environments. **AQUATIC ECOTOXICITY:**This product may be harmful or fatal to exposed aquatic life in low concentrations.

SECTION 13 – DISPOSAL CONSIDERATIONS

SECTION 14 – TRANSPORTATION INFORMATION

EMERGENCY RESPONSE GUIDE: N/A

SECTION 15 – REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION: LISTED CARCINOGEN:......................Not listed.

TSCA STATUS:The ingredients of this product are listed on TSCA inventory (40CFR 710.)

SARA SECTION 302:None

SARA SECTION 312:Acute health hazard.

SARA SECTION 313: Not listed

EUROPEAN UNION REGULATORY INFORMATION: Xi: Irritant

DSD/DPD SAFETY (S) PHRASES: S18: Handle and open containers with care.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S37/39: Wear suitable gloves and eye/face protection.

S61: Avoid release to the environment.

S64: If swallowed, rinse mouth with water if victim is conscious.

DSD/DPD HAZARD SYMBOL: C: Corrosive

CANADIAN REGULATORY INFORMATION:

DOMESTIC SUBSTANCES LIST (DSL): Listed **INGREDIENT DISCLOSURE LIST:** Listed



SECTION 16 – OTHER INFORMATION

REFERENCES/DISCLAIMER:................The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the

specific context of their intended use.

FOOT NOTES:.... N/A = Not Applicable

IMDG:......International Maritime Code for Dangerous Goods

DOT:.....US Department of Transportation

IATA: International Air Transportation Association

ACGIH:..... American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50:.....Lethal dose, 50 percent **TOST:**.....Target Organ Systemic Toxicity

DATE PREPARED:JAN 12, 2011 **DATE REVISED:**AUG 29, 2014

PAGE 6 of 7